

# 歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

## PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL  TOP SECRET

SPEC.NO.(規範編號) Q9391SPP-971		APPLICABLE CUSTOMER (適用客戶) ALL		APPLICABLE PRODUCT (適用產品) 9391-A2P02S24P02CB30DLA 9391-A2P04S24CB30PA		PAGE 1/4	REV. B
						PACKAGING CATEGORY (包裝方式)	TRAY PLATE PACKING

### REVISION HISTORY (修訂履歷)

ECN REV. NO	PAGE (頁次)								
	1	2	3	4					
A	NEW (修改包裝方式)								
B	增加料號								

DIVISION (事業單位)	Product Development (產品開發課)	APPROVED (核准)	CHECKED (審核)	PREPARED (制表)	CCH7/13'17
-----------------	-----------------------------	---------------	--------------	---------------	------------

# 歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

## PACKAGING SPECIFICATION (包裝作業規範)



SPEC.NO.(規範編號) Q9391SPP-971

CONFIDENTIAL 
  TOP SECRET  
 PAGE 2/4 REV. B

### PACKING OPERATION DIAGRAM & INSTRUCTION (包裝作業圖示及說明)

### REMARK (備注)

#### Laying Product Diagram: (產品擺放圖示)



#### 一.PVC Plate Packing Mode:

(PVC盤包裝方式)

(1).CT-0.9 Box:9391-PET-003 XX PCS.

(CT-0.9規格的紙箱放盤9391-PET-003 XX PCS)

(2).Put product in each trough fully as shown in diagram.

(產品在盤子中擺放方式如圖所示)

(3).After filling each trough with product fully,stack the xx PVC plates,cover it with transparent upper cover 9391-PET-004 1PCS on the top.

(每盤放滿產品後,加蓋透明上蓋 9391-PET-004 1PCS)

(4).The label of minimum supplies label and season is stuck separately on each cover.

在每個蓋子的上面分別貼批次標籤與季節標籤。

(5).Stick the label of bar code label (the design of the bar code label according to Fig.) on each cover.

在每個蓋子的上面分別貼條形碼標籤(條形碼標籤的樣式如圖)

# 歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.


## PACKAGING SPECIFICATION (包裝作業規範)

<input checked="" type="checkbox"/> CONFIDENTIAL		<input type="checkbox"/> TOP SECRET	
PAGE	3/4	REV.	B

SPEC.NO.(規範編號) Q9391SPP-971

### PACKING OPERATION DIAGRAM & INSTRUCTION (包裝作業圖示及說明)

### REMARK (備注)



#### 一. Outer Box Packing Mode:

#### (外箱包裝方式)

- (1). Paper box 0.9 standard 1 PCS, as shown in drawing Two.  
(紙箱0.9規格 1 PCS, 如(圖二)所示)
- (2). (Put on every case to each put and protecting the beautiful dragon together all around on every case, 3PCS altogether, as shown in drawing one)  
(每箱上中下各放一塊保麗龍, 共3PCS, 如(圖一)所示)
- (3). Put 1 PCS waterproof in the paper box, as shown in drawing Two.  
(紙箱內側放入防水袋 1 PCS, 如(圖二)所示)
- (4). Piled the XX packing plates packed up in the waterproof. 5 boxes are 1 bundle, manner of packing such as Fig. 1  
(將放滿產品的XX個PVC盤疊起, 裝入防水袋內, 5盒為1捆, 包裝方式如圖1)
- (5). Seal the surface of the outer box, as shown in drawing Three.  
(將外箱上層封口, 如(圖三)所示)

The form on the right and flank side of the box must be filled correctly and clearly, take actual testing weight as the standard of each box gross weight.

外箱之正麥和側麥所要填寫之項目要填寫正確, 清晰, 每箱之毛重應以實測重量為準.

# 歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

## PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL     TOP SECRET

PAGE: 4/4    REV. B

SPEC.NO.(規範編號)    Q9391SPP-971

PACKING MATERIAL (包裝材料)			PRODUCT P/N	CT NO.	PACKING N.W.	PACKING QUANTITY (包裝數量)			WEIGHT (重量) kg		
MATERIAL NAME (材料名稱)	PART NO. (料號)	Q'TY	(產品料號)	(紙箱規格)	(包材重量)	PCS/TRAY	TRAY/BOX	PCS/BOX	N.W./PCS	N.W./BOX	G.W./BOX
PAPER BOXES (紙箱)	CT-0.9	1	9391-A2P02S24P02CB30DLA	CT-0.9	4.18475	42	10	420	0.01227	5.1534	9.33815
Packing Box (包裝盒)	9391-PET-003	10									
Packing Box Cover (包裝盒蓋子)	9391-PET-004	10	9391-A2P04S24CB30PA	CT-0.9	4.18475	42	10	420	0.0175	7.35	11.53475
WATERPROOF BAG (防水袋)	PE 100*90	1									
Foam (保麗龍)	-----	3									
DRYING AGENT (干燥劑)	-----	3									

1.NOTE:

(注意)

When the finished products have been made,take the actual weight as the standard of gross weight in each box.

(成品出貨時,每箱之毛重應以實測重量為準)

When the finished products have been made,stick the proper designation list on the box according to product de

CT-1.6 Produce goods taiwan , CT-1.9 Produce goods shanghai. ( CT-1.6出貨台灣OP , CT-1.9出貨上海SH)

It doesn't influence the manner of packing with the gold-plated way to print word way,Can amalgamate.(印字方式跟鍍金方式不影響包裝方式,可以共用)