

# 歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL  TOP SECRET

SPEC.NO.(規範編號)	Q9391SPP-1096		PAGE	1/4	REV.	A
APPLICABLE CUSTOMER (適用客戶)	ALL	APPLICABLE PRODUCT (適用產品)	9391-A1S20CxxDLA-Axxx		PACKAGING CATEGORY (包裝方式)	TRAY PLATE PACKING

## REVISION HISTORY (修訂履歷)

ECN NO REV.	PAGE (頁次)								
	1	2	3	4					
A	New (新版)								

DIVISION (事業單位)	Product Development (產品開發課)	APPROVED (核准)	CHECKED (審核)	DE:	PREPARED (制表)	DYQ 03/13'19
				PE:		

# 歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

## PACKAGING SPECIFICATION (包裝作業規範)

SPEC.NO.(規範編號) Q9391SPP-1096


■ CONFIDENTIAL □ TOP SECRET

PAGE 2/4 REV. A


### PACKING OPERATION DIAGRAM & INSTRUCTION (包裝作業圖示及說明)

### REMARK (備注)

#### Laying Product Diagram: (產品擺放圖示)



(Drawing 1-1)  
(圖1-1)



(Drawing 1-2)  
(圖1-2)

#### 一.PET Plate Packing Mode:

(PET盤包裝方式)

(1).CT-0.9 Box:PET-9391-113 8 PCS.

(CT-0.9 規格的紙箱放盤PET-9391-113 8 PCS)

(2).Put product in each trough fully as shown in diagram.  
(產品在盤子中擺放方式如圖所示)

(3).After filling each trough with product fully,cover it  
with transparent upper cover  
PET-9391-114 1PCS on the top.  
(每盤放滿產品後,加蓋透明上蓋 PET-9391-114 1PCS)

(4)The label of minimum supplies label (the design of the  
supplies label is such as Fig. 1-1)and season is stuck  
separately on each cover( such as Fig. 1-1).

在每個蓋子的上面分別貼批次標籤(樣式如圖1-1)與季  
節標籤(如圖1-1)。

(5).Stack the 8 PET plates filled with product, put them in  
the paper box in which has been put waterproof bag.  
(將放滿產品的8個PET盤疊起,裝入防水袋放入紙箱內)

# 歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

<input checked="" type="checkbox"/> CONFIDENTIAL		<input type="checkbox"/> TOP SECRET	
PAGE	3/4	REV.	A

SPEC.NO.(規範編號) Q9391SPP-1096

PACKING OPERATION DIAGRAM & INSTRUCTION (包裝作業圖示及說明)	REMARK (備注)
<p>                     Foam Board (保麗龍)                      透明上蓋                      XX Plates (XX盤)                      Drawing One (圖一)                      Foam Board (保麗龍)                      Waterproof Bag (防水袋)                      Drawing Two (圖二)                      Drawing Three (圖三)                 </p>	<p>一.Outer Box Packing Mode: (外箱包裝方式)</p> <ol style="list-style-type: none"> <li>(1).Paper box 0.9 standard 1 PCS,as shown in drawing Two. (紙箱0.9規格 1 PCS,如(圖二)所示)</li> <li>(2).Put one Foam Board in the upper and lower of the paper box,2PCS in all.,as shown in drawing One. (每箱上下各放一塊保麗龍,共2PCS,如(圖一)所示)</li> <li>(3).Put 1 PCS waterproof in the paper box,as shown in drawing Two. (紙箱內側放入防水袋 1 PCS,如(圖二)所示)</li> <li>(4).Piled the 8 packing plates packed up in the waterproof. (將放滿產品的8個PET盤疊起,裝入防水袋內)</li> <li>(5).Seal the waterproof bag,then put the Foam Board 1PCS on the bag. (Put 1 PCS Foam Board at the right and left side in the paper box if it is necessary.) (封上防水袋,然後放上第二塊保麗龍薄板) (必要時,在紙箱的左右兩側各放一塊保麗龍)</li> <li>(6).Seal the surface of the outer box,as shown in drawing Three. (將外箱上層封口,如(圖三)所示)</li> </ol> <p>The form on the right and flank side of the box must be filled correctly and clearly,take actual testing weight as the standard of each box gross weight.</p> <p>外箱之正麥和側麥所要填寫之項目要填寫正確,清晰,每箱之毛重應以實測重量為準.</p>

# 歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

## PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL    TOP SECRET

PAGE: 4/4    REV. A

PACKING MATERIAL (包裝材料)			PRODUCT P/N	CT NO.	PACKING N.W.	PACKING QUANTITY (包裝數量)			WEIGHT (重量) kg		
MATERIAL NAME (材料名稱)	PART NO. (料號)	Q'TY	(產品料號)	(紙箱規格)	(包材重量)	PCS/TRAY	TRAY/BOX	PCS/BOX	N.W./PCS	N.W./BOX	G.W./BOX
PAPER BOXES (紙箱)	CT-0.9	1	9391-A1S20CB30DLA-A027	CT-0.9	2.58	55	8	440	0.009650	4.25	6.83
Packing Box (包裝盒)	PET-9391-113	----									
Packing Box Cover (包裝盒蓋子)	PET-9391-114	----									
WATERPROOF BAG (防水袋)	PE 100*90	1									
Foam (保麗龍)	-----	2									
DRYING AGENT (干燥劑)	-----	3									

1.NOTE:  
 (注意)  
 When the finished products have been made,take the actual weight as the standard of gross weight in each box.  
 (成品出貨時,每箱之毛重應以實測重量為準)  
 It doesn't influence the manner of packing with the gold-plated way to print word way,Can amalgamate.(印字方式跟鍍金方式不影響包裝方式,可以共用)