

# 歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

## PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL  TOP SECRET

PAGE 1/4 REV. H

SPEC.NO.(規範編號) Q9001SPP-241T1

APPLICABLE CUSTOMER (適用客戶) ALL

APPLICABLE PRODUCT (適用產品) 9001-92xxxx1CxxDA

PACKAGING CATEGORY (包裝方式) TRAY PLATE PACKING

### REVISION HISTORY (修訂履歷)

REV.	ECN NO	PAGE (頁次)								
		1	2	3	4					
F		Add P/N 新增料號.								
G		Change PVC-073 to PVC-073-1 更新料号PVC-073为PVC-073-1.								
H		Packaging method changed 包装方式变更								

DIVISION (事業單位)	Product Development (產品開發課)	APPROVED (核准)	Peter Zhu	CHECKED (審核)	Nita Lu	PREPARED (制表)	Martin 06/28'23
-----------------	-----------------------------	---------------	-----------	--------------	---------	---------------	-----------------

歐品電子(昆山)有限公司  
 OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

包裝作業規範  
 PACKAGING SPECIFICATION

CONFIDENTIAL  TOP SECRET  
 PAGE 2/4 REV. H


規範編號SPEC.NO. Q9001SPP-241T1

包裝作業圖示及說明

PACKING OPERATION DIAGRAM & INSTRUCTION

備注 REMARK

產品擺放方式：



(圖1)

- 一. PVC Plate Packing Mode:  
 (PVC盤包裝方式:)
- (1).CT-1.6 Box: PVC-10 XX PCS.  
 (CT-1.6 規格的紙箱放PVC-10盤 XX PCS)
  - (2).Put product in each trough fully as shown in diagram.  
 (產品在盤子中擺放方式如圖1所示印字面朝上方向統一)
  - (3).The plates on which the products are loaded are stacked on top of each other,top place 1pcs cover PVC-073-1.  
 (每盤放滿產品後疊起,最上面放1PCS上蓋PVC-073-1) .
  - (4).Stack the xx PVC plates filled with product, put them in the paper box in which has been put waterproof bag.  
 (將放滿產品的XX個PVC盤疊起,裝入防水袋放入紙箱內)

歐品電子(昆山)有限公司  
 OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.  
 包裝作業規範  
 PACKAGING SPECIFICATION

<input checked="" type="checkbox"/>	CONFIDENTIAL	<input type="checkbox"/>	TOP SECRET
PAGE	3/4	REV.	H

規範編號SPEC.NO. Q9001SPP-241T1

包裝作業圖示及說明 PACKING OPERATION DIAGRAM & INSTRUCTION	備注 REMARK
<p style="margin-left: 20px;">       Air column Bag (氣柱袋) (圖1)        Upper cover (上蓋) (圖1)        PVC-10 XX盤 (圖1)        WATERPROOF BAG (防水PE袋) (圖2)        Air column Bag (氣柱袋) (圖1)     </p>	<p>一. Outer Box Packing Mode: (外箱包裝方式)</p> <ol style="list-style-type: none"> <li>(1). Paper box 1.6 standard 1 PCS, as shown in drawing Two. (紙箱1.6規格 1 PCS. 如(圖1)所示)</li> <li>(2). Put one Air column bag in the upper and lower of the paper box, 2PCS in all, as shown in drawing One. (每箱上下各放一塊氣柱袋, 共2PCS, 如(圖1)所示)</li> <li>(3). Put 1 PCS waterproof in the paper box, as shown in drawing Two. (紙箱內側放入防水袋 1 PCS. 如(圖2)所示)</li> <li>(4). Piled the XX packing plates packed up in the waterproof. (將放滿產品的XX個PVC盤疊起, 裝入防水袋內)</li> <li>(5). Seal the waterproof bag, then put the Air column bag 1PCS on the bag. (Put 1 PCS Air column bag at the right and left side in the paper box if it is necessary.) (封上防水袋, 然後放上第二塊氣柱袋) (必要時, 在紙箱的左右兩側各放一塊氣柱袋)</li> <li>(6). Seal the surface of the outer box, as shown in drawing Three. (將外箱上層封口. 如(圖3)所示)</li> </ol> <p>The form on the right and flank side of the box must be filled correctly and clearly, take actual testing weight as the standard of each box gross weight. 外箱之正麥和側麥所要填寫之項目要填寫正確, 清晰, 每箱之毛重應以實測重量為準.</p>

# 歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

## PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL     TOP SECRET

PAGE: 4/4    REV.    H

PACKING MATERIAL (包裝材料)			PRODUCT P/N	CT NO.	PACKING N.W.	PACKING QUANTITY (包裝數量)			WEIGHT (重量) kg		
MATERIAL NAME (材料名稱)	PART NO. (料號)	Q'TY	(產品料號)	(紙箱規格)	(包材重量)	PCS/TRAY	TRAY/BOX	PCS/BOX	N.W./PCS	N.W./BOX	G.W./BOX
PAPER BOXES (紙箱)	CT-1.9/CT1.6	1	9001-9224081C00DA	CT-1.6	4.61	40	25	1000	0.01029	10.29	14.90
Packing Box (包裝盒)	PVC-10	----	9001-9260041C00DA	CT-1.6	4.61	40	25	1000	0.01049	10.49	15.10
Packing Box Cover (包裝盒蓋子)	PVC-073-1	----									
WATERPROOF BAG (防水袋)	PE 100*70	1									
Foam (保麗龍)	-----	2									
DRYING AGENT (干燥劑)	-----	3									

1.NOTE:

(注意)

When the finished products have been made,take the actual weight as the standard of gross weight in each box.

(成品出貨時,每箱之毛重應以實測重量為準)

When the finished products have been made,stick the proper designation list on the box according to product demand.

CT-1.6 Produce goods taiwan , CT-1.9 Produce goods shanghai. ( CT-1.6出貨台灣OP , CT-1.9出貨上海SH)

It doesn't influence the manner of packing with the gold-plated way to print word way.Can amalgamate.(印字方式跟鍍金方式不影響包裝方式,可以共用)