

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL TOP SECRET

SPEC.NO.(規範編號) Q2041SPP-533		APPLICABLE PRODUCT (適用產品) 2041-1XxxGxxSA		PAGE 1/6	REV. C
APPLICABLE CUSTOMER (適用客戶) ALL				PACKAGING CATEGORY (包裝方式) TRAY PLATE PACKING	

REVISION HISTORY (修訂履歷)

ECN REV. NO	PAGE (頁次)								
	1	2	3	4					
B	Change the packing box. 修改包裝盒								
C	Modify the binding way (修改裝訂方式)								

DIVISION (事業單位) Product Development (產品開發課)	APPROVED (核准)	CHECKED (審核)	PREPARED (制表) zbs 02/23'17
---	---------------	--------------	----------------------------

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

SPEC.NO.(規範編號) Q2041SPP-533

CONFIDENTIAL TOP SECRET


PAGE 2/6 REV. C

PACKING OPERATION DIAGRAM & INSTRUCTION (包裝作業圖示及說明)

REMARK (備注)

Laying Product Diagram:

(產品擺放圖示)



一.PVC Plate Packing Mode:

(PVC盤包裝方式)

(1).CT-1.6 Box:PVC-2045-01 xx PCS.

(CT-1.6 規格的紙箱放PVC-2045-01盤 xx PCS)

(2).Put product in each trough fully as shown in diagram.

(產品在盤子中擺放方式如圖所示)

(3).After filling each trough with product fully,cover it

with transparent upper cover PVC-2045-01 1PCS。

(每盤放滿產品後,加蓋透明上蓋 PVC-2045-01 1PCS)

(4).After each dish with transparent over,together with stapler

will cover and the chassis.

(每盤加蓋透明上蓋後,用訂書機將上蓋與底盤訂在一起)

(5).Stack the XX PVC plates filled with product, put them in

the paper box in which has been put waterproof bag.

(將放滿產品的22/17個PVC盤疊起,裝入防水袋放入紙箱內)

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.




PACKAGING SPECIFICATION (包裝作業規範)

<input checked="" type="checkbox"/> CONFIDENTIAL <input type="checkbox"/> TOP SECRET	
PAGE	3/6
REV.	C

SPEC.NO.(規範編號) Q2041SPP-533

PACKING OPERATION DIAGRAM & INSTRUCTION (包裝作業圖示及說明)

REMARK (備注)



一. Outer Box Packing Mode:

(外箱包裝方式)

- (1). Paper box 1.6 or 1.6 standard 1 PCS, as shown in drawing Two. (1.6規格 1 PCS, 如(圖二)所示)
- (2). Put one Foam Board in the upper and lower of the paper box, 2PCS in all, as shown in drawing One. (每箱上下各放一塊保麗龍, 共2PCS, 如(圖一)所示)
- (3). Put 1 PCS waterproof in the paper box, as shown in drawing Two. (紙箱內側放入防水袋 1 PCS, 如(圖二)所示)
- (4). Piled the XX packing plates packed up in the waterproof. (將放滿產品的22/17個PVC盤疊起, 裝入防水袋內)
- (5). Seal the waterproof bag, then put the Foam Board 1PCS on the bag. (Put 1 PCS Foam Board at the right and left side in the paper box if it is necessary.) (封上防水袋, 然後放上第二塊保麗龍薄板) (必要時, 在紙箱的左右兩側各放一塊保麗龍)
- (6). Seal the surface of the outer box, as shown in drawing Three. (將外箱上層封口, 如(圖三)所示)

The form on the right and flank side of the box must be filled correctly and clearly, take actual testing weight as the standard of each box gross weight.

外箱之正麥和側麥所要填寫之項目要填寫正確, 清晰, 每箱之毛重應以實測重量為準。

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL TOP SECRET

SPEC.NO.(規範編號)		Q2041SPP-533									
PACKING MATERIAL (包裝材料)		PRODUCT P/N		CT NO.		PACKING N.W.		PACKING QUANTITY (包裝數量)		WEIGHT (重量) kg	
MATERIAL NAME (材料名稱)	PART NO. (料號)	Q'TY	(產品料號)	(紙箱規格)	(包材重量)	PCS/TRAY	TRAY/BOX	PCS/BOX	N.W./PCS	N.W./BOX	G.W./BOX
PAPER BOXES (紙箱)	CT-0.9	1	2041-1X02GxxSA	CT-0.9	0.60	552	60	33120	0.000217	7.19	7.79
Packing Box (包裝盒)	PVC-2045-01	----	2041-1X03GxxSA	CT-0.9	0.60	360	60	21600	0.000326	7.04	7.64
			2041-1X04GxxSA	CT-0.9	0.60	276	60	16560	0.000434	7.19	7.79
			2041-1X05GxxSA	CT-0.9	0.60	216	60	12960	0.000544	7.05	7.65
Packing Box Cover (包裝盒蓋子)	PVC-2045-01	----	2041-1X06GxxSA	CT-0.9	0.60	180	60	10800	0.000653	7.05	7.65
			2041-1X07GxxSA	CT-0.9	0.60	156	60	9360	0.00076	7.11	7.71
			2041-1X08GxxSA	CT-0.9	0.60	132	60	7920	0.000874	6.92	7.52
WATERPROOF BAG (防水袋)	PE 100*90	1	2041-1X09GxxSA	CT-0.9	0.60	120	60	7200	0.000984	7.08	7.68
			2041-1X10GxxSA	CT-0.9	0.60	108	60	6480	0.001094	7.09	7.69
			2041-1X11GxxSA	CT-0.9	0.60	96	60	5760	0.001204	6.94	7.54
Foam (保麗龍)	-----	2	2041-1X12GxxSA	CT-0.9	0.60	84	60	5040	0.001314	6.62	7.22
			2041-1X13GxxSA	CT-0.9	0.60	84	60	5040	0.001424	7.18	7.78
			2041-1X14GxxSA	CT-0.9	0.60	72	60	4320	0.001534	6.63	7.23
DRYING AGENT (干燥劑)	-----	3	2041-1X15GxxSA	CT-0.9	0.60	72	60	4320	0.001644	7.10	7.70
			2041-1X16GxxSA	CT-0.9	0.60	60	60	3600	0.001754	6.31	6.91
			2041-1X17GxxSA	CT-0.9	0.60	60	60	3600	0.001864	6.71	7.31

1.NOTE:

(注意)

When the finished products have been made,take the actual weight as the standard of gross weight in each box.

(成品出貨時,每箱之毛重應以實測重量為準)

When the finished products have been made,stick the proper designation list on the box according to product demand.

(成品出貨時,依據出貨要求貼上相對應的標籤單)

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL TOP SECRET

SPEC.NO.(規範編號)		Q2041SPP-533									
						PAGE:		5/6		REV. C	
PACKING MATERIAL (包裝材料)			PRODUCT P/N	CT NO.	PACKING N.W.	PACKING QUANTITY (包裝數量)			WEIGHT (重量) kg		
MATERIAL NAME (材料名稱)	PART NO. (料號)	Q'TY	(產品料號)	(紙箱規格)	(包材重量)	PCS/TRAY	TRAY/BOX	PCS/BOX	N.W./PCS	N.W./BOX	G.W./BOX
PAPER BOXES (紙箱)	CT-0.9	1	2041-1X18GxxSA	CT-0.9	0.60	60	60	3600	0.001974	7.11	7.71
Packing Box (包裝盒)	PVC-2045-01	----	2041-1X19GxxSA	CT-0.9	0.60	48	60	2880	0.002084	6.00	6.60
			2041-1X20GxxSA	CT-0.9	0.60	48	60	2880	0.002194	6.32	6.92
			2041-1X21GxxSA	CT-0.9	0.60	48	60	2880	0.002304	6.64	7.24
Packing Box Cover (包裝盒蓋子)	PVC-2045-01	----	2041-1X22GxxSA	CT-0.9	0.60	48	60	2880	0.002414	6.95	7.55
			2041-1X23GxxSA	CT-0.9	0.60	48	60	2880	0.002524	7.27	7.87
			2041-1X24GxxSA	CT-0.9	0.60	36	60	2160	0.002634	5.69	6.29
WATERPROOF BAG (防水袋)	PE 100*90	1	2041-1X25GxxSA	CT-0.9	0.60	36	60	2160	0.002744	5.93	6.53
			2041-1X26GxxSA	CT-0.9	0.60	36	60	2160	0.002854	6.16	6.76
			2041-1X27GxxSA	CT-0.9	0.60	36	60	2160	0.002964	6.40	7.00
Foam (保麗龍)	-----	2	2041-1X28GxxSA	CT-0.9	0.60	36	60	2160	0.003074	6.64	7.24
			2041-1X29GxxSA	CT-0.9	0.60	36	60	2160	0.003184	6.88	7.48
			2041-1X30GxxSA	CT-0.9	0.60	36	60	2160	0.003294	7.12	7.72
DRYING AGENT (干燥劑)	-----	3	2041-1X31GxxSA	CT-0.9	0.60	36	60	2160	0.003404	7.35	7.95
			2041-1X32GxxSA	CT-0.9	0.60	24	60	1440	0.003514	5.06	5.66
			2041-1X33GxxSA	CT-0.9	0.60	24	60	1440	0.003624	5.22	5.82

1.NOTE:
(注意)
When the finished products have been made,take the actual weight as the standard of gross weight in each box.
(成品出貨時,每箱之毛重應以實測重量為準)
When the finished products have been made,stick the proper designation list on the box according to product demand.
(成品出貨時,依據出貨要求貼上相對應的標籤單)

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL TOP SECRET

SPEC.NO.(規範編號)		Q2041SPP-533					PAGE:	6/6	REV.	C	
PACKING MATERIAL (包裝材料)			PRODUCT P/N	CT NO.	PACKING N.W.	PACKING QUANTITY (包裝數量)			WEIGHT (重量) kg		
MATERIAL NAME (材料名稱)	PART NO. (料號)	Q'TY	(產品料號)	(紙箱規格)	(包材重量)	PCS/TRAY	TRAY/BOX	PCS/BOX	N.W./PCS	N.W./BOX	G.W./BOX
PAPER BOXES (紙箱)	CT-0.9	1	2041-1X34GxxSA	CT-0.9	0.60	24	60	1440	0.003734	5.38	5.98
Packing Box (包裝盒)	PVC-2045-01	----	2041-1X35GxxSA	CT-0.9	0.60	24	60	1440	0.003844	5.54	6.14
			2041-1X36GxxSA	CT-0.9	0.60	24	60	1440	0.003954	5.69	6.29
			2041-1X37GxxSA	CT-0.9	0.60	24	60	1440	0.004064	5.85	6.45
Packing Box Cover (包裝盒蓋子)	PVC-2045-01	----	2041-1X38GxxSA	CT-0.9	0.60	24	60	1440	0.004174	6.01	6.61
			2041-1X39GxxSA	CT-0.9	0.60	24	60	1440	0.004284	6.17	6.77
			2041-1X40GxxSA	CT-0.9	0.60	24	60	1440	0.004394	6.33	6.93
WATERPROOF BAG (防水袋)	PE 100*90	1									
Foam (保麗龍)	-----	2									
DRYING AGENT (干燥劑)	-----	3									

1.NOTE:
(注意)
When the finished products have been made,take the actual weight as the standard of gross weight in each box.
(成品出貨時,每箱之毛重應以實測重量為準)
When the finished products have been made,stick the proper designation list on the box according to product demand.
(成品出貨時,依據出貨要求貼上相對應的標籤單)