

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL TOP SECRET

SPEC.NO.(規範編號) Q2243SPP-076		PAGE 1/8		REV. Y	
APPLICABLE CUSTOMER (適用客戶)	ALL	APPLICABLE PRODUCT (適用產品)	2243-xxG(C)xxDxU 2243-BxxG(C)xxDxU 2243-xxG(C)xxDPx-x		
			PACKAGING CATEGORY (包裝方式)	TUBE PACKING	

REVISION HISTORY (修訂履歷)

REV.	ECN NO	PAGE (頁次)							
		1	2	3	4	5	6		
R		ADD P/N 新增料號							
S		Revise the packaging quantity (修改包裝數量)							
T		ADD P/N 新增料號							
U		ADD P/N 新增料號							
V		ADD P/N 新增料號							
W		ADD P/N 新增料號							
Y		Modify single and full weight (修改單重和整箱重量)							

DIVISION (事業單位)	Product Development (產品開發課)	APPROVED (核准)	CHECKED (審核)	PREPARED (制表)	XFF 09/18/18
-----------------	-----------------------------	---------------	--------------	---------------	--------------

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)


■ CONFIDENTIAL □ TOP SECRET

SPEC.NO.(規範編號) Q2243SPP-076


PAGE 2/8 REV. Y

PACKING OPERATION DIAGRAM & INSTRUCTION (包裝作業圖示及說明)


REMARK (備注)



Drawing One: Product Installing Mode
(圖一產品裝入方式)



Drawing Two: Each Bundle Ten Tube
(圖二: 每10管為1捆)



Drawing Three:Lay three bundles in each layer.Install in six layers.17bundles,170 tubes in all.

(圖3)每層放3捆 第6層放2捆。分6層放入,一盒共17捆,共170管)

Disposing schematic diagram of Tube in the inner box, for reference.

(管在內盒的擺放示意圖,供參考)

一.Inner box packing mode:

(內盒包裝方式)

(1).Each tube packing mode:Stuff one end of tube with stopper, stuff the other end of the tube after load into definite quality of product. as shown in drawing One.And stuffing in stopper,the end of the stopper must be level with the tube mouth, can't be shown.

(每管包裝方式:用塞子塞住管子一頭,放入一定數量產品後,塞住另一頭,裝入方式如(圖一)所示.且塞子塞入後,末端要和管口平齊,不可外露.)

(2).Devide each ten tube product in two layers, laying mode:As shown in Drawing Two, the two ends are away from tube mouth 50mm, fix them with 1PCS rubber band.

(每10管產品分2層,放置方式:如(圖2)所示,兩頭離管口50mm處,各用1PCS橡皮筋纏2道固定.)

(3).Lay six bundles in one case with three layers, three bundles in one layer ,170 tubes in all. As shown in drawing Three.

(一盒17捆分6層放入,每層放3捆。共170管。如(圖三)所示)

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.


PACKAGING SPECIFICATION (包裝作業規範)

<input checked="" type="checkbox"/> CONFIDENTIAL		<input type="checkbox"/> TOP SECRET	
PAGE	3/8	REV.	Y

SPEC.NO.(規範編號) Q2243SPP-076


PACKING OPERATION DIAGRAM & INSTRUCTION (包裝作業圖示及說明)

REMARK (備注)




前面(A面)

內盒 4PCS
CT-0
(規格:460*130*105)
放置方向:A面朝前
(圖4)



防水袋
100*90

紙箱
CT-0.9
(規格:475*275*225)
(圖5)



(圖6)

二.Outer box packing mode: (外箱包裝方式)

- (1).Paper box CT-0.9 Standart 1 PCS.
(紙箱CT-0.9規格 1 PCS.)
- (2).Put waterproof bag 1 PCS in the paper box.
(紙箱內側放入防水袋 1 PCS.)
- (3).Put 4PCS inner box filled with product in the waterproof bag.
(于防水袋內放入4PCS裝滿產品之內盒.)
- (4).Laying mode of the four inner boxes is that A side in front side.,
the laying mode of the four inner boxes must in one direction.
(四個內盒的放置方式為1面朝前放置,四內盒放置方向須一致.)
- (5).The detailed specification of inner box is shown in page two.
(內盒之詳細包裝規範如第2頁.)
- (6).After laying inner boxes, tie the waterproof bag tightly.Seal the
surface of the outer box.(Drawing Six)
(放好內盒，扎緊防水袋。將外箱上層封口。(圖六))

The form on the right and flank side of the bo must be filled correctly
and clearly, take actual testing weight as the standard of every box
gross weight.
(外箱之正麥和側麥所要填寫之項目要填寫正確,清晰,每箱之
毛重應以實測重量為準.)

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL TOP SECRET

SPEC.NO.(規範編號)	Q2243SPP-076							PAGE:	4/8	REV.	Y	
PACKING MATERIAL (包裝材料)			PRODUCT P/N	PACKING N.W.	PACKING QUANTITY (包裝數量)					WEIGHT (重量) kg		
MATERIAL NAME (材料名稱)	PART NO. (料號)	Q'TY	(產品料號)	(包材重量)	PCS/TUBE	TUBE/INNER BOX	PCS/INNER BOX	INNER BOX/BOX	PCS/BOX	N.W./PCS	N.W./BOX	G.W./BOX
PAPER BOXES (紙箱)	CT-0.9	1	2243-10G(C)xxDP(L)U	12.62	42	170	7140	4	28560	0.000190	5.43	18.05
PACKING INNER BOX (內紙箱)	CT-0	4	2243-12G(C)xxDP(L)U	12.62	37	170	6290	4	25160	0.000204	5.13	17.75
			2243-14G(C)xxDP(L)U	12.62	34	170	5780	4	23120	0.000266	6.15	18.77
			2243-16G(C)xxDP(L)U	12.62	31	170	5270	4	21080	0.000304	6.41	19.03
			2243-18G(C)xxDP(L)U	12.62	27	170	4590	4	18360	0.000342	6.28	18.90
TUBE (管子)	TUBE-2243PP2	680	2243-20G(C)xxDP(L)U	12.62	26	170	4420	4	17680	0.000380	6.72	19.34
			2243-22G(C)xxDP(L)U	12.62	24	170	4080	4	16320	0.000418	6.82	19.44
			2243-24G(C)xxDP(L)U	12.62	22	170	3740	4	14960	0.000456	6.82	19.44
TUBE PLUG (塞子)	-----	1360	2243-28G(C)xxDP(L)U	12.62	19	170	3230	4	12920	0.000532	6.87	19.49
			2243-30G(C)xxDP(L)U	12.62	18	170	3060	4	12240	0.000570	6.98	19.60
			2243-32G(C)xxDP(L)U	12.62	17	170	2890	4	11560	0.000608	7.03	19.65
			2243-34G(C)xxDP(L)U	12.62	16	170	2720	4	10880	0.000646	7.03	19.65
WATERPROFF BAG (防水袋)	PE100*70	1	2243-36G(C)xxDP(L)U	12.62	16	170	2720	4	10880	0.000684	7.44	20.06
			2243-40G(C)xxDP(L)U	12.62	14	170	2380	4	9520	0.000760	7.24	19.86
			2243-44G(C)xxDP(L)U	12.62	13	170	2210	4	8840	0.000836	7.39	20.01
			2243-50G(C)xxDP(L)U	12.62	12	170	2040	4	8160	0.000950	7.75	20.37
DRYING AGENT (干燥劑)	-----	3	2243-56G(C)xxDP(L)U	12.62	10	170	1700	4	6800	0.001050	7.14	19.76
			2243-60G(C)xxDP(L)U	12.62	10	170	1700	4	6800	0.001140	7.75	20.37
			2243-68G(C)xxDP(L)U	12.62	9	170	1530	4	6120	0.001292	7.91	20.53
RUBBER RIBE (橡皮筋)	-----	136	2243-70G(C)xxDP(L)U	12.62	8	170	1360	4	5440	0.001330	7.24	19.86
			2243-72G(C)xxDP(L)U	12.62	8	170	1360	4	5440	0.001368	7.44	20.06
			2243-80G(C)xxDP(L)U	12.62	7	170	1190	4	4760	0.001520	7.24	19.86
			2243-100G(C)xxDP(L)U	12.62	6	170	1020	4	4080	0.001900	7.75	20.37

1.NOTE:
 (注意) When the finished products have been made,take the actual weight as the standard of gross weight in each box.
 (成品出貨時,每箱之毛重應以實測重量為準)

When the finished products have been made,stick the proper designation list on the box according to product demand.
 (成品出貨時,依據出貨要求貼上相對應的標籤單)

CT-1.6 Produce goods taiwan , CT-1.9 Produce goods shanghai. (CT-1.6出貨台灣OP , CT-1.9出貨上海SH)

It doesn't influence the manner of packing with the gold-plated way to print word way.Can amalgamate.(印字方式跟鍍金方式不影響包裝方式,可以共用)

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL TOP SECRET

SPEC.NO.(規範編號)		Q2243SPP-076								PAGE:	5/8	REV.	Y
PACKING MATERIAL (包裝材料)			PRODUCT P/N	PACKING N.W.	PACKING QUANTITY (包裝數量)					WEIGHT (重量) kg			
MATERIAL NAME (材料名稱)	PART NO. (料號)	Q'TY	(產品料號)	(包材重量)	PCS/TUBE	TUBE/INNER BOX	PCS/INNER BOX	INNER BOX/BOX	PCS/BOX	N.W./PCS	N.W./BOX	G.W./BOX	
PAPER BOXES (紙箱)	CT-0.9	1	2243-B10G(C)xxDPU	12.62	45	170	7650	4	30600	0.000170	5.20	17.83	
PACKING INNER BOX (內紙箱)	CT-0	4	2243-B12G(C)xxDPU	12.62	39	170	6630	4	26520	0.000204	5.41	18.03	
			2243-B16G(C)xxDPU	12.62	31	170	5270	4	21080	0.000272	5.73	18.35	
			2243-B20G(C)xxDPU	12.62	27	170	4590	4	18360	0.000340	6.24	18.86	
TUBE (管子)	TUBE-2243PP2	680	2243-B22G(C)xxDPU	12.62	25	170	4250	4	17000	0.000374	6.36	18.98	
			2243-B24G(C)xxDPU	12.62	23	170	3910	4	15640	0.000408	6.38	19.00	
			2243-B28G(C)xxDPU	12.62	20	170	3400	4	13600	0.000475	6.47	19.09	
TUBE PLUG (塞子)	-----	1360	2243-B30G(C)xxDPU	12.62	19	170	3230	4	12920	0.000510	6.59	19.21	
			2243-B32G(C)xxDPU	12.62	18	170	3060	4	12240	0.000544	6.66	19.28	
			2243-B34G(C)xxDPU	12.62	17	170	2890	4	11560	0.000578	6.68	19.30	
WATERPROFF BAG (防水袋)	PE100*70	1	2243-B40G(C)xxDPU	12.62	15	170	2550	4	10200	0.000680	6.94	19.56	
			2243-B44G(C)xxDPU	12.62	13	170	2210	4	8840	0.000748	6.61	19.23	
			2243-B50G(C)xxDPU	12.62	12	170	2040	4	8160	0.000850	6.94	19.56	
DRYING AGENT (干燥劑)	-----	3	2243-B60G(C)xxDPU	12.62	10	170	1700	4	6800	0.001020	6.94	19.56	
			2243-B70G(C)xxDPU	12.62	9	170	1530	4	6120	0.001190	7.28	19.90	
RUBBER RIBE (橡皮筋)	-----	136	2243-B72G(C)xxDPU	12.62	8	170	1360	4	5440	0.001224	6.66	19.28	
			2243-B80G(C)xxDPU	12.62	7	170	1190	4	4760	0.001360	6.47	19.09	
			2243-B100G(C)xxDPU	12.62	6	170	1020	4	4080	0.001700	6.94	19.56	

1.NOTE:

(注意) When the finished products have been made,take the actual weight as the standard of gross weight in each box.

(成品出貨時,每箱之毛重應以實測重量為準)

When the finished products have been made,stick the proper designation list on the box according to product demand.

(成品出貨時,依據出貨要求貼上相對應的標籤單)

CT-1.6 Produce goods taiwan , CT-1.9 Produce goods shanghai. (CT-1.6出貨台灣OP , CT-1.9出貨上海SH)

It doesn't influence the manner of packing with the gold-plated way to print word way.Can amalgamate.(印字方式跟鍍金方式不影響包裝方式,可以共用)

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL TOP SECRET

PAGE: 6/8 REV. Y

SPEC.NO.(規範編號)		Q2243SPP-076										
PACKING MATERIAL (包裝材料)			PRODUCT P/N	PACKING N.W.	PACKING QUANTITY (包裝數量)					WEIGHT (重量) kg		
MATERIAL NAME (材料名稱)	PART NO. (料號)	Q'TY	(產品料號)	(包材重量)	PCS/TUBE	TUBE/INNER BOX	PCS/INNER BOX	INNER BOX/BOX	PCS/BOX	N.W./PCS	N.W./BOX	G.W./BOX
PAPER BOXES (紙箱)	CT-0.9	1	2243-10G(C)xxDNU	12.62	63	170	10710	4	42840	0.000190	8.14	20.76
PACKING INNER BOX (內紙箱)	CT-0	4	2243-12G(C)xxDNU	12.62	53	170	9010	4	36040	0.000204	7.35	19.97
			2243-14G(C)xxDNU	12.62	46	170	7820	4	31280	0.000265	8.32	20.94
			2243-16G(C)xxDNU	12.62	40	170	6800	4	27200	0.000304	8.27	20.89
			2243-20G(C)xxDNU	12.62	32	170	5440	4	21760	0.000380	8.27	20.89
TUBE (管子)	TUBE-2243PP2	680	2243-22G(C)xxDNU	12.62	29	170	4930	4	19720	0.000418	8.24	20.86
			2243-24G(C)xxDNU	12.62	27	170	4590	4	18360	0.000455	8.37	20.99
			2243-28G(C)xxDNU	12.62	23	170	3910	4	15640	0.000532	8.32	20.94
TUBE PLUG (塞子)	-----	1360	2243-30G(C)xxDNU	12.62	22	170	3740	4	14960	0.000570	8.53	21.15
			2243-32G(C)xxDNU	12.62	20	170	3400	4	13600	0.000608	8.27	20.89
			2243-34G(C)xxDNU	12.62	19	170	3230	4	12920	0.000645	8.35	20.97
WATERPROFF BAG (防水袋)	PE100*70	1	2243-36G(C)xxDNU	12.62	18	170	3060	4	12240	0.000684	8.37	20.99
			2243-40G(C)xxDNU	12.62	16	170	2720	4	10880	0.000760	8.27	20.89
			2243-44G(C)xxDNU	12.62	15	170	2550	4	10200	0.000835	8.53	21.15
DRYING AGENT (干燥劑)	-----	3	2243-50G(C)xxDNU	12.62	13	170	2210	4	8840	0.000950	8.40	21.02
			2243-60G(C)xxDNU	12.62	11	170	1870	4	7480	0.001140	8.53	21.15
			2243-68G(C)xxDNU	12.62	9	170	1530	4	6120	0.001292	7.91	20.53
RUBBER RIBE (橡皮筋)	-----	136	2243-70G(C)xxDNU	12.62	9	170	1530	4	6120	0.001330	8.14	20.76
			2243-72G(C)xxDNU	12.62	9	170	1530	4	6120	0.001368	8.37	20.99
			2243-80G(C)xxDNU	12.62	8	170	1360	4	5440	0.001520	8.27	20.89
			2243-100G(C)xxDNU	12.62	6	170	1020	4	4080	0.001900	7.75	20.37

1.NOTE:
 (注意) When the finished products have been made,take the actual weight as the standard of gross weight in each box.
 (成品出貨時,每箱之毛重應以實測重量為準)

When the finished products have been made,stick the proper designation list on the box according to product demand.
 (成品出貨時,依據出貨要求貼上相對應的標籤單)

CT-1.6 Produce goods taiwan , CT-1.9 Produce goods shanghai. (CT-1.6出貨台灣OP , CT-1.9出貨上海SH)

It doesn't influence the manner of packing with the gold-plated way to print word wav.Can amalgamate.(印字方式跟鍍金方式不影響包裝方式,可以共用)

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL TOP SECRET

PAGE: 7/8 REV. Y

SPEC.NO.(規範編號)		Q2243SPP-076										
PACKING MATERIAL (包裝材料)			PRODUCT P/N	PACKING N.W.	PACKING QUANTITY (包裝數量)				WEIGHT (重量) kg			
MATERIAL NAME (材料名稱)	PART NO. (料號)	Q'TY	(產品料號)	(包材重量)	PCS/TUBE	TUBE/INNER BOX	PCS/INNER BOX	INNER BOX/BOX	PCS/BOX	N.W./PCS	N.W./BOX	G.W./BOX
PAPER BOXES (紙箱)	CT-0.9	1	2243-10G(C)xxDPU-X	12.62	42	170	7140	4	28560	0.000190	5.43	18.05
			2243-12G(C)xxDPU-X	12.62	37	170	6290	4	25160	0.000204	5.13	17.75
PACKING INNER BOX (內紙箱)	CT-0	4	2243-14G(C)xxDPU-X	12.62	34	170	5780	4	23120	0.000265	6.15	18.77
			2243-16G(C)xxDPU-X	12.62	30	170	5100	4	20400	0.000304	6.20	18.82
			2243-20G(C)xxDPU-X	12.62	26	170	4420	4	17680	0.000380	6.72	19.34
			2243-22G(C)xxDPU-X	12.62	24	170	4080	4	16320	0.000418	6.82	19.44
TUBE (管子)	TUBE-2243PP2	680	2243-24G(C)xxDPU-X	12.62	22	170	3740	4	14960	0.000455	6.82	19.44
			2243-28G(C)xxDPU-X	12.62	19	170	3230	4	12920	0.000532	6.87	19.49
			2243-30G(C)xxDPU-X	12.62	18	170	3060	4	12240	0.000570	6.98	19.60
TUBE PLUG (塞子)	-----	1360	2243-32G(C)xxDPU-X	12.62	17	170	2890	4	11560	0.000608	7.03	19.65
			2243-34G(C)xxDPU-X	12.62	16	170	2720	4	10880	0.000645	7.03	19.65
			2243-36G(C)xxDPU-X	12.62	16	170	2720	4	10880	0.000684	7.44	20.06
WATERPROFF BAG (防水袋)	PE100*70	1	2243-40G(C)xxDPU-X	12.62	14	170	2380	4	9520	0.000760	7.24	19.86
			2243-44G(C)xxDPU-X	12.62	13	170	2210	4	8840	0.000835	7.39	20.01
			2243-50G(C)xxDPU-X	12.62	12	170	2040	4	8160	0.000950	7.75	20.37
DRYING AGENT (干燥劑)	-----	3	2243-60G(C)xxDPU-X	12.62	10	170	1700	4	6800	0.001140	7.75	20.37
			2243-68G(C)xxDPU-X	12.62	9	170	1530	4	6120	0.001292	7.91	20.53
			2243-70G(C)xxDPU-X	12.62	8	170	1360	4	5440	0.001330	7.24	19.86
RUBBER RIBE (橡皮筋)	-----	136	2243-72G(C)xxDPU-X	12.62	8	170	1360	4	5440	0.001368	7.44	20.06
			2243-80G(C)xxDPU-X	12.62	7	170	1190	4	4760	0.001520	7.24	19.86
			2243-100G(C)xxDPU-X	12.62	6	170	1020	4	4080	0.001900	7.75	20.37

1.NOTE:

(注意) When the finished products have been made,take the actual weight as the standard of gross weight in each box.

(成品出貨時,每箱之毛重應以實測重量為準)

When the finished products have been made,stick the proper designation list on the box according to product demand.

(成品出貨時,依據出貨要求貼上相對應的標籤單)

CT-1.6 Produce goods taiwan , CT-1.9 Produce goods shanghai. (CT-1.6出貨台灣OP , CT-1.9出貨上海SH)

It doesn't influence the manner of packing with the gold-plated way to print word way.Can amalgamate.(印字方式跟鍍金方式不影響包裝方式,可以共用)

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL TOP SECRET

PAGE: 8/8 REV. Y

SPEC.NO.(規範編號)		Q2243SPP-076											
PACKING MATERIAL (包裝材料)			PRODUCT P/N	PACKING N.W.	PACKING QUANTITY (包裝數量)					WEIGHT (重量) kg			
MATERIAL NAME (材料名稱)	PART NO. (料號)	Q'TY	(產品料號)	(包材重量)	PCS/TUBE	TUBE/INNER BOX	PCS/INNER BOX	INNER BOX/BOX	PCS/BOX	N.W./PCS	N.W./BOX	G.W./BOX	
PAPER BOXES (紙箱)	CT-0.9	1	2243-10C00DOU	12.62	42	170	7140	4	28560	0.000190	5.43	18.05	
			2243-12C00DOU	12.62	37	170	6290	4	25160	0.000204	5.13	17.75	
PACKING INNER BOX (內紙箱)	CT-0	4	2243-14C00DOU	12.62	34	170	5780	4	23120	0.000265	6.15	18.77	
			2243-16C00DOU	12.62	30	170	5100	4	20400	0.000304	6.20	18.82	
			2243-20C00DOU	12.62	26	170	4420	4	17680	0.000380	6.72	19.34	
			2243-22C00DOU	12.62	24	170	4080	4	16320	0.000418	6.82	19.44	
TUBE (管子)	TUBE-2243PP2	680	2243-24C00DOU	12.62	22	170	3740	4	14960	0.000455	6.82	19.44	
			2243-28C00DOU	12.62	19	170	3230	4	12920	0.000532	6.87	19.49	
			2243-30C00DOU	12.62	18	170	3060	4	12240	0.000570	6.98	19.60	
TUBE PLUG (塞子)	-----	1360	2243-32C00DOU	12.62	17	170	2890	4	11560	0.000608	7.03	19.65	
			2243-34C00DOU	12.62	16	170	2720	4	10880	0.000645	7.03	19.65	
			2243-36C00DOU	12.62	16	170	2720	4	10880	0.000684	7.44	20.06	
WATERPROFF BAG (防水袋)	PE100*70	1	2243-40C00DOU	12.62	14	170	2380	4	9520	0.000760	7.24	19.86	
			2243-44C00DOU	12.62	13	170	2210	4	8840	0.000835	7.39	20.01	
			2243-50C00DOU	12.62	12	170	2040	4	8160	0.000950	7.75	20.37	
DRYING AGENT (干燥劑)	-----	3	2243-56C00DOU	12.62	10	170	1700	4	6800	0.001054	7.17	19.79	
			2243-60C00DOU	12.62	10	170	1700	4	6800	0.001140	7.75	20.37	
			2243-68C00DOU	12.62	9	170	1530	4	6120	0.001292	7.91	20.53	
RUBBER RIBE (橡皮筋)	-----	136	2243-70C00DOU	12.62	8	170	1360	4	5440	0.001330	7.24	19.86	
			2243-80C00DOU	12.62	7	170	1190	4	4760	0.001520	7.24	19.86	
			2243-100C00DOU	12.62	6	170	1020	4	4080	0.001900	7.75	20.37	

1.NOTE:

(注意) When the finished products have been made,take the actual weight as the standard of gross weight in each box.

(成品出貨時,每箱之毛重應以實測重量為準)

When the finished products have been made,stick the proper designation list on the box according to product demand.

(成品出貨時,依據出貨要求貼上相對應的標籤單)

CT-1.6 Produce goods taiwan , CT-1.9 Produce goods shanghai. (CT-1.6出貨台灣OP , CT-1.9出貨上海SH)

It doesn't influence the manner of packing with the gold-plated way to print word way.Can amalgamate.(印字方式跟鍍金方式不影響包裝方式,可以共用)